

Serial No.: 10/667,498

IN THE CLAIMS:

1. (Cancelled)

2. (Currently Amended) ~~The~~ A camera with a built-in ~~strobe~~ strobe, comprising:

a camera body;

a support unit having a first turning section and a second turning section, the support unit being turnably supported on the camera body through the first turning section;

a strobe casing turnably supported at one side thereof on the support unit through the second turning section, the strobe casing comprising a strobe light-emitting section and being shiftable between a first position and a second position;

a first engaging section for engaging the support unit at the second position; and

a second engaging section for engaging the strobe casing at the second position, according to claim 1,

Serial No.: 10/667,498

\_\_\_\_\_ wherein the strobe casing is approximately rectangular parallelepiped in shape, and the support unit covers side surfaces and a bottom surface of the strobe casing when the strobe casing is at the first position.

3. (Original) The ~~A~~ camera with a built-in strobe according to ~~claim 1~~, strobe, comprising:

a camera body;

a support unit having a first turning section and a second turning section, the support unit being turnably supported on the camera body through the first turning section;

a strobe casing turnably supported at one side thereof on the support unit through the second turning section, the strobe casing comprising a strobe light-emitting section and being shiftable between a first position and a second position;

a first engaging section for engaging the support unit at the second position; and

a second engaging section for engaging the strobe casing at the second position,

Serial No.: 10/667,498

\_\_\_\_\_ wherein the support unit ~~is formed of~~ comprises two plates overlaid one on the other, and a wiring section for electrically connecting the strobe light-emitting section and the camera body ~~is body,~~ said wiring section being sandwiched between the two plates.

4.-6. (Cancelled)

7. (Currently Amended) A camera with a built-in strobe, comprising:

a camera body;

a support unit having a first turning section and a second turning section, the support unit being turnably supported on the camera body through the first turning section;

a strobe casing turnably supported at one side thereof on the support unit through the second turning section, the strobe casing ~~containing~~ comprising a strobe light-emitting section and being shiftable between a first position and a second position;

a first engaging section for engaging the support unit at the second position;

Serial No.: 10/667,498

a second engaging section for engaging the strobe casing at the second position;

~~the first turning section being located to position itself toward the front of the support unit when the strobe casing is at the first position;~~

~~the second turning section being located to position itself toward the rear of the support unit when the strobe casing is at the first position and being located to position itself toward the rear of the strobe casing when the strobe casing is at the first position and the second position;~~

a first elastic member for driving the support unit to the second position with respect to the camera body;

a second elastic member for driving the strobe casing to the second position with respect to the support unit; and

a third engaging section for engaging the strobe casing at the first position.

8. (Cancelled)

Serial No.: 10/667,498

9. (Currently Amended) The camera with a built-in ~~strobe~~ strobe, according to claim 7, further comprising a fourth engaging section for exclusively engaging the support unit at the first position.

10. (Currently Amended) The camera with a built-in ~~strobe~~ strobe, according to claim 7, further ~~comprising~~ comprising:

a pop-up manipulation member attached to the camera body;  
a fourth engaging section for exclusively engaging the support unit at the first position, wherein the third engaging section and the fourth engaging section are ~~provided~~ located in a said ~~pop-up manipulation member attached to the camera body or in a member linked with the pop-up manipulation member,~~ and the pop-up manipulation member is for being manipulated when the strobe casing is at the first position ~~so as to~~ distinguish between an operation of shifting the strobe casing and the support unit to the second position and an operation of shifting only the strobe casing from the first position to the second position.

11. (Cancelled)

Serial No.: 10/667,498

12. (New) The camera with a built-in strobe, according to claim 10, further comprising a member linked with the pop-up manipulation member, wherein the third engaging section and the fourth engaging section are located in said member.